

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/578924.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/27 22:09
S2	48	Kasapidis-Makis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:15
S4	25681	370/328,331,338,349,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:17
S5	4684	455/436.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:17
S6	77	((fast quick) near5 (handover handoff)) same subnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:18
S7	85	((fast quick) with (handover handoff movement mobility)) same subnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:19
S8	72	((subnet near5 address) CoA "care of address") with ((neighbor\$3 adjacent surround\$4) near5 subnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:21
S9	22	((stor\$3 updat\$3 acquir\$3 obtain\$3 select\$3 provid\$3 assign\$4) with ((subnet near5 address) CoA "care of address")) with ((neighbor\$3 adjacent surround\$4) near5 subnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:21
S10	48	Kasapidis-Makis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:22

S11	0	S10 and S7 and (@ad<"20031111" @riad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:22
S12	8	S4 and S7 and (@ad<"20031111" @riad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:23
S13	7	S5 and S7 and (@ad<"20031111" @riad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:23
S14	0	S9 and S7 and (@ad<"20031111" @riad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:23
S15	16	S7 and (@ad<"20031111" @riad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:23
S16	27	S8 and (@ad<"20031111" @riad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:24
S17	1678	(handover handoff movement mobility (mobile near3 IP)) same subnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:43
S18	88	((subnet near5 address) CoA "care of address") same ((neighbor\$3 adjacent surround\$4) near5 subnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:44
S19	47	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:45
S20	18	S19 and (@ad<"20031111" @riad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:45
S21	2289	(handover handoff movement mobility (mobile near3 IP)) same IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:55

S22	56	(fast quick rapid speedy) near5 (handover handoff movement mobility (mobile near3 IP)) same IPv6 and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 16:01
S23	9	S17 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 16:02
S24	22	(fast quick rapid speedy) near5 (handover handoff movement mobility (mobile near3 IP)) same subnet and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 16:06
S25	72	((subnet near5 address) CoA "care of address") with ((neighbor\$3 adjacent surround\$4) near5 subnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:10
S26	56	(fast quick rapid speedy) near5 (handover handoff movement mobility (mobile near3 IP)) same IPv6 and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:10
S27	0	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:10
S28	22	(fast quick rapid speedy) near5 (handover handoff movement mobility (mobile near3 IP)) same subnet and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:10
S29	0	S25 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:10
S30	2291	(handover handoff movement mobility (mobile near3 IP)) same IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:11
S31	1679	(handover handoff movement mobility (mobile near3 IP)) same subnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:11
S32	13	S25 and S30 and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:12

S33	15	S25 and S31 and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:12
S34	139	((subnet near5 address) CoA "care of address") with ((neighbor\$3 adjacent surround\$4) near5 (subnet network cell area (base adj station) (foreign adj agent) (access adj point) (access adj router)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:46
S35	15	S34 and S30 and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:46
S36	21	S34 and S31 and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:46
S37	4	DHCP near5 (address pool) with shar \$3 with (mobile wireless) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 20:00
S38	50	(neighbor near5 discover\$3) same (acquir\$3 request\$3 updat\$3 obtain \$3 solicitat\$3) with ((subnet near5 address) CoA "care of address" (mobile near5 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 22:16
S39	20	S38 and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 22:17
S40	20	S38 and (handover handoff movement mobility (mobile near3 IP)) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 22:18
S41	10	S38 same (handover handoff movement mobility (mobile near3 IP)) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 22:19
S42	0	(handover handoff movement mobility (mobile near3 IP)) same3 (assign\$4 provid\$3 allocat\$3) with (mobile near5 address) with ("for" near5 (neighbor\$3 adjacent remote foreign)) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/16 08:16

S43	342	(handover handoff movement mobility (mobile near3 IP) same3 (assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address") with (neighbor\$3 adjacent remote foreign) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/16 08:19
S44	0	(handover handoff movement mobility (mobile near3 IP) same3 (assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address") with ("for" with (neighbor \$3 adjacent remote foreign)) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/16 08:20
S45	122	(handover handoff movement mobility (mobile near3 IP) same3 (assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address") with (us\$4 with (neighbor \$3 adjacent remote foreign)) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/16 08:21
S46	98	(handover handoff movement mobility (mobile near3 IP) same3 (assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address") with (us\$4 with (neighbor \$3 adjacent foreign)) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/16 10:02
S47	3	((fast quick rapid speedy) near5 (handoff handover)) same (FBack (fast adj binding) PrRtAdv (proxy adj router adj advertis\$5)) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 08:20
S48	6	((fast quick rapid speedy) near5 (handoff handover)) same3 (FBack (fast adj binding) PrRtAdv (proxy adj router adj advertis\$5)) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 08:22
S49	2	(handover handoff movement mobility (mobile near3 IP) same3 (assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address") same (delet\$3 remov\$3) with unique\$4 and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 09:51
S50	8	(assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address") same (delet\$3 remov\$3) with (unique\$4 duplicat\$3) and (@ad<"20031111" @rlad<"20031111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 09:55

S51	139	((assign\$4 provid\$3 allocat\$3) with address same ((delet\$3 remov\$3) with (unique\$4 duplicat\$3) and (@ad<"20031111" @rlad<"20031111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:06
S52	108	((assign\$4 provid\$3 allocat\$3) with address same ((delet\$3 remov\$3) with (unique\$4 (avoid\$3 near3 duplicat\$3)) and (@ad<"20031111" @rlad<"20031111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:07
S53	86	((assign\$4 provid\$3 allocat\$3) with address same ((delet\$3 remov\$3) with address with (unique\$4 (avoid\$3 near3 duplicat\$3))) and (@ad<"20031111" @rlad<"20031111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:08
S54	17	((assign\$4 provid\$3 allocat\$3) with address same ((delet\$3 remov\$3) with ((assigned allocated) near3 address) with (unique\$4 (avoid\$3 near3 duplicat\$3))) and (@ad<"20031111" @rlad<"20031111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:09
S55	48	((fast quick rapid speedy) near5 (handoff handover)) same ((reduc\$3 short\$5 minimiz\$3) near5 (latenc\$3 delay)) and (@ad<"20031111" @rlad<"20031111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:58
S56	0	((fast quick rapid speedy) near5 (handoff handover)) same ((assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address")) same ((reduc\$3 short\$5 minimiz\$3) near5 (latenc\$3 delay)) and (@ad<"20031111" @rlad<"20031111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:59
S57	9	((fast quick rapid speedy) near5 (handoff handover)) same ((reduc\$3 short\$5 minimiz\$3) near5 (latenc\$3 delay)) same3 ((assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address")) and (@ad<"20031111" @rlad<"20031111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:00
S58	13	((reduc\$3 short\$5 minimiz\$3) with (handoff handover) near5 (latenc\$3 delay)) same3 ((assign\$4 provid\$3 allocat\$3) with ((mobile near5 address) CoA "care of address")) and (@ad<"20031111" @rlad<"20031111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:01

5/17/2010 11:55:38 AM

C:\Documents and Settings\yzhou\My Documents\EAST\Workspaces\10578924.wsp